

DECORATIVE-OUTDOOR NOVELTIES



Z Zambelis
LIGHTS

CONTENTS

DECORATIVE

01. MINERAL TEXTURES | p.018 - 125

02. GLASS | p.126 - 213

03. DECO | p.214 - 311

04. FLOOR & TABLE | p.312 - 345

05. CEILING SPOTS | p.346 - 355

OUTDOOR

01. CONCRETE | p.358 - 379

02. FLOOR & WALL | p.380 - 411

03. WALL | p.412 - 437

04. SPIKES | p.438 - 479

05. STEP | p.480 - 507

INDEX BY FAMILY DECORATIVE

ARPA

Pendant
p.84-95

BELLA

Pendant
p.122-125

DIKO

Table
p.326-329

ECHO

Pendant
p.304-311

FINO

Table
p.330-343

FLORA

Wall
p.294-299

GIVA

Pendant
p.116-121

JAVA

Ceiling | Wall
p.268-275

KERI

Pendant | Wall
p.138-147

KONA

Pendant
p.288-293

LINOR

Pendant | Wall | Floor
p.226-235

LIORA

Pendant
p.210-213

LITHO

Pendant | Wall | Portable
p.40-55

LORR

Pendant
p.188-193

LUNA

Wall
p.104-115

MARA

Pendant | Wall | Table | Floor
p.68-83

MASU

Table
p.314-319

MIRA

Wall | Ceiling
p.284-287

NEXOR

Table | Floor
p.320-325

OLIO

Pendant | Wall
p.160-165

PICO

Pendant
p.216-225

PILO

Wall
p.100-103

POLA

Wall
p.246-249

POSSA

Pendant
p.96-99

ROCA

Pendant | Wall | Ceiling
p.56-59

SAPEL

Pendant | Wall
p.178-187

SEDO

Pendant
p.236-239

SENTA

Pendant | Wall
p.254-267

SIGMA

Wall | Ceiling
p.276-283

SILCO

Wall | Ceiling
p.240-245

SOL

Pendant | Wall | Magnetic
p.20-39

SONA

Wall
p.300-303

STALA

Pendant
p.166-177

TAPEL

Pendant | Wall | Table | Floor
p.148-159

VERSA

Pendant
p.128-137

VETRO

Pendant | Wall
p.60-67

VION

Table
p.344-345

VISTA

Ceiling
p.348-355

VITRO

Pendant | Ceiling
p.194-209

VOLO

Wall
p.250-253

INDEX BY FAMILY OUTDOOR

ALCO

Step
p.486-487

ANTI

Spike | Tree Mounting
p.452-461

ARCO

Floor | Spike
p.468-479

LOOP

Floor
p.392-393

LURA

Floor
p.408-409

NOOK

Step
p.488-489

ARIA

Floor | Wall | Ceiling
p.382-389

AURA

Wall
p.426-429

AXIS

Wall
p.434-435

NOX

Step
p.498-499

ORIS

Wall
p.418-419

OVA

Floor
p.372-373

CONE

Wall
p.416-417

COVE

Wall
p.432-433

CRETE

Floor
p.374-379

RIBS

Wall
p.422-423

RIFT

Step
p.506-507

RINA

Floor
p.368-371

CURV

Floor | Wall
p.394-397

CYCLO

Wall
p.414-415

DART

Wall | Ceiling
p.436-437

RISE

Step
p.504-505

SILA

Wall
p.424-425

SIRO

Wall
p.430-431

DUNE

Floor
p.390-391

EDGE

Step
p.490-493

EON

Spike
p.462-463

STAL

Floor | Spike
p.464-467

STEPI

Step
p.482-485

STING

Floor
p.398-399

FOLD

Step
p.494-497

HALO

Lamp Post
p.406-407

HORO

Floor
p.410-411

TERC

Floor | Wall
p.360-367

ZET

Lamp Post | Floor
p.402-405

ZUMA

Wall
p.420-421

LAIN

Step
p.500-503












LEN

Floor
p.400-401



















LOOC

Spike | Wall | Ceiling | Tree Mounting
p.440-451



INDEX BY PRODUCT DECORATIVE

















INDEX BY PRODUCT DECORATIVE







INDEX BY PRODUCT DECORATIVE



INDEX BY PRODUCT OUTDOOR



INDEX BY PRODUCT OUTDOOR



Disclaimer: Creative scenery generated with AI. Featured items are authentic photographs.


Creative Scenery & Product Authenticity
All luminaires featured in this catalogue are genuine products, captured through professional photography to ensure absolute fidelity to their real textures, materials, and colors.

Why AI Tools?
To spark your imagination with exceptional, high-end architectural settings, we embraced advanced AI generative tools to curate half of the backgrounds in our catalog. Every luminaire remains an authentic, professionally photographed product 100% true to its real textures, colors, and technical specifications.

MINERAL TEXTURES

Crafted By Nature
Shaped By Design






SOL


“ *Light Doesn't Need To Be **Loud**
It Simply Exists And Everything
Shifts* ”








SOL

2651



LIGHT SOURCE	LED 25W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1400Lm
CRI	80
NON DIMMABLE	☒
DIMENSIONS	L: 150cm W: 12cm H: 12cm
BASE	L: 105cm W: 6cm H: 4cm
ALABASTERS	Ø: 10cm Ø: 12cm
MATERIAL	Metal - Aluminium - Alabaster
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Brushed Coffee Bronze Natural Tobacco Alabaster










SOL

☒ 26178

○ 26179



LIGHT SOURCE	LED 5W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	285Lm 304Lm
CRI	90
DIMMING	ON-OFF DALI
DIMENSIONS	Ø: 10cm H: 10cm
BASE	Ø: 8cm H: 3.5cm
MATERIAL	Aluminium - Alabaster
SPECIAL FEATURE	400cm Cable Adjustable
FINISH	Sandy Black-Natural Alabaster



SOL

Magnetic Track Lights



Our Newest Set Of Decorative Track Lights
In Natural Alabaster Finish


Compatible with our **48V Linear Magnetic System 23MM**





SOL

26119




LIGHT SOURCE	LED 5W
INPUT	48V
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	285Lm
CRI	90
DALI DIMMABLE	☉
DIMENSIONS	Ø: 10cm H: 10cm
MATERIAL	Aluminium - Alabaster
FINISH	Sandy Black-Natural Alabaster



SOL

26120




LIGHT SOURCE	LED 5W
INPUT	48V
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	285Lm
CRI	90
DALI DIMMABLE	☉
DIMENSIONS	Ø: 10cm H: 10cm
MATERIAL	Aluminium - Alabaster
SPECIAL FEATURE	200cm Cable Available
FINISH	Sandy Black-Natural Alabaster



SOL

2653



LIGHT SOURCE	1x G9 LED Bulb MAX 5W
INPUT	220-240V 50/60Hz
DIMENSIONS	Ø: 14cm L: 9cm
BASE	Ø: 9cm L: 0.5cm
MATERIAL	Metal - Alabaster
FINISH	Natural Tobacco Alabaster








SOL

2652



LIGHT SOURCE	LED 12W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	730Lm
CRI	80
NON DIMMABLE	☒
DIMENSIONS	L: 8.5cm W: 10cm H: 39.5cm
BASE	L: 4.3cm W: 5cm H: 25cm
MATERIAL	Metal - Aluminium - Alabaster
FINISH	Brushed Coffee Bronze Natural Alabaster



LITHO


“ Some Materials Bring **Character**
Natural **Materials** Bring Soul





LITHO

26144




LIGHT SOURCE	LED 32W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1350Lm
CRI	80
NON DIMMABLE	⊗
DIMENSIONS	L: 120cm W: 6cm H: 6cm
BASE	L: 49cm W: 6.5cm H: 4cm
MATERIAL	Stone - Metal - PC Diffuser
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Travertine-Black Matt





LITHO

26143




LIGHT SOURCE	LED 20W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	915Lm
CRI	80
NON DIMMABLE	⊗
DIMENSIONS	L: 4cm W: 9cm H: 60cm
BASE	L: 3cm W: 5.5cm H: 56.5cm
MATERIAL	Stone - Metal - Acrylic
FINISH	Travertine-White Matt



LITHO

26140




LIGHT SOURCE INPUT	1x G9 LED Bulb MAX 5W 220-240V 50/60Hz
DIMENSIONS	L: 6cm W: 20cm H: 13.5cm
MATERIAL FINISH	Stone - Metal Travertine





LITHO

26141




LIGHT SOURCE INPUT	2x GU10 LED Bulb MAX 5W 220-240V 50/60Hz
DIMENSIONS	L: 7.5cm W: 15.5cm H: 20cm
MATERIAL	Stone - Metal
SPECIAL FEATURE	Up-Down Lighting
FINISH	Travertine



LITHO

26139




LIGHT SOURCE INPUT	2x G9 LED Bulb MAX 5W 220-240V 50/60Hz
DIMENSIONS	L: 10cm W: 9cm H: 15.5cm
MATERIAL	Stone - Metal
SPECIAL FEATURE	Up-Down Lighting
FINISH	Travertine





LITHO

👆 ⬡ 26142



LIGHT SOURCE	LED 1W
INPUT	3.7V DC
BATTERY	1200 mAh
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	54Lm
CRI	80
IP	20
TOUCH DIMMING	○
WORKING TIME	100% of Light - 3h 50% of Light - 11.5h 10% of Light - 40h
CHARGING TIME	3h
DIMENSIONS	Ø: 10cm H: 22.5cm
MATERIAL	Stone - PC Diffuser
SPECIAL FEATURE	Portable Table Lamp USB Type C Cable Included Power-Off & Brightness Memory Function
FINISH	Travertine







ROCA


“ *Beauty Becomes Lasting
When It Comes From **Nature*** ”





ROCA

26133




LIGHT SOURCE	LED 12W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	835Lm
CRI	93
BEAM ANGLE	36°
DIMMABLE TRIAC	☉
DIMENSIONS	Ø: 10cm H: 12cm
MATERIAL	Stone - Metal
SPECIAL FEATURE	Honeycomb Included
FINISH	Travertine-Sandy Black



ROCA

26134

Suspension Kit



INPUT	220-240V 50/60Hz
DIMENSIONS	Ø: 7cm H: 250cm
BASE	Ø: 7cm H: 2.5cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	250cm Cable Adjustable
FINISH	Sandy Black



VETRO


“ *Stone Remembers Time*
*Design Gives it **Purpose*** ”





VETRO

- 2696
- 2697




LIGHT SOURCE	LED 7W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	500Lm 539Lm
CRI	90
DIMMABLE TRIAC	☉
DIMENSIONS	L: 7.5cm W: 10cm H: 40cm
BASE	L: 3.5cm W: 5.5cm H: 35cm
PROFILE	Ø: 1.6cm H: 31.5cm
MATERIAL	Stone - Aluminium - Acrylic
FINISH	Travertine-Sandy Black Travertine-Gold Matt



VETRO

26108



LIGHT SOURCE	LED 8W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	408Lm 438Lm
CRI	90
DIMMABLE TRIAC	☉
DIMENSIONS	L: 7.5cm W: 23cm H: 23cm
BASE	Ø: 12cm L: 3.5cm
CIRCLES	Ø: 11cm L: 2cm Ø: 20cm L: 1.3cm
MATERIAL	Stone - Aluminium - PC Diffuser
SPECIAL FEATURE	Rotatable Gold Circle 340° Back Lighting
FINISH	Travertine-Brushed Gold





MARA


“ Because Every Remarkable **Space** Begins With How It Makes People **Feel**





MARA

26114




LIGHT SOURCE	LED 59W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	2729Lm 2924Lm
CRI	90
DIMMABLE TRIAC	○
DIMENSIONS	Ø: 112cm H: 80-110-140cm
BASE	Ø: 18cm H: 5cm
SHADE	Ø: 7.9cm H: 9cm
MARBLE	Ø: 7cm
MATERIAL	Marble - Metal - PC Diffuser
FINISH	Brushed Gold-White Matt-Green Marble





MARA

26113



LIGHT SOURCE	LED 59W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	2729Lm 2924Lm
CRI	90
DIMMABLE TRIAC	☐
DIMENSIONS	Ø: 112cm H: 80-110-140cm
BASE	Ø: 18cm H: 5cm
SHADE	Ø: 7.9cm H: 9cm
STONE	Ø: 7cm
MATERIAL	Stone - Metal - PC Diffuser
FINISH	Sandy Black-Travertine






MARA

 26111

 26112




LIGHT SOURCE	LED 8W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	390Lm 420Lm
CRI	90
DIMMABLE TRIAC	
DIMENSIONS	Ø: 7.9cm H: 16cm
BASE	Ø: 10cm H: 5cm
STONE MARBLE	Ø: 7cm
MATERIAL	Stone Marble Metal - Aluminium - PC Diffuser
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Sandy Black-Travertine Brushed Gold-White Matt-Green Marble



MARA

26109

26110



LIGHT SOURCE	LED 8W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	390Lm 420Lm
CRI	90
DIMMABLE TRIAC	○
DIMENSIONS	L: 12cm W: 7.9cm H: 18cm
BASE	Ø: 10cm L: 3cm
STONE MARBLE	Ø: 7cm
MATERIAL	Stone Marble Metal - Aluminium - PC Diffuser
FINISH	Sandy Black-Travertine
	Brushed Gold-White Matt-Green Marble









MARA

- 26115
- 26116



LIGHT SOURCE	LED 12W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	623Lm
CRI	90
DIMMABLE	
DIMENSIONS	Ø: 22cm H: 46cm
BASE	Ø: 22cm H: 1cm
SHADE	Ø: 7.9cm H: 9cm
STONE MARBLE	Ø: 7cm
MATERIAL	Stone Marble Metal - Aluminium - PC Diffuser
SPECIAL FEATURE	180cm Cable Available Touch Dimming Switch
FINISH	Sandy Black-Natural Stone Brushed Gold-White Matt-Green Marble






MARA

26117

26118




LIGHT SOURCE	LED 8W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	390Lm 420Lm
CRI	90
DIMMABLE	☉
DIMENSIONS	Ø: 28cm H: 141cm
BASE	Ø: 28cm H: 1cm
STONE MARBLE	Ø: 7cm
MATERIAL	Stone Marble Metal - Aluminium - PC Diffuser
SPECIAL FEATURE	180cm Cable Available Foot Dimming Switch
FINISH	Sandy Black-Natural Stone Brushed Gold-White Matt-Green Marble






ARPA

“ The Best *Ideas* Arrive
When The *Environment*
Welcomes Them






LIGHT SOURCE	LED 81W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	2447Lm 2583Lm
CRI	90
DIMMABLE TRIAC	○
DIMENSIONS	L: 90cm W: 125cm H: 74cm
BASE	Ø: 34cm H: 4cm
MARBLE	Ø: 12cm Ø: 9cm
MATERIAL	Metal - Aluminium - Marble
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Brushed Brass-Black Marble Sandy Black-Green Marble








ARPA


26104

26103



LIGHT SOURCE	LED 32W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	1416Lm 1524Lm
CRI	90
DIMMABLE TRIAC	☉
DIMENSIONS	L: 97cm W: 12cm H: 53cm
BASE	Ø: 7cm H: 20cm
MARBLE	Ø: 12cm
MATERIAL	Metal - Aluminium - Marble
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Brushed Brass-Black Marble Sandy Black-Green Marble






ARPA

26186

26185



LIGHT SOURCE	LED 16W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	1008Lm 1121Lm
CRI	90
DIMMABLE TRIAC	☉
DIMENSIONS	L: 60.3cm W: 9cm H: 32.4cm
BASE	Ø: 7cm H: 20cm
MARBLE	Ø: 9cm
MATERIAL	Metal - Aluminium - Marble
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Brushed Brass-Black Marble Sandy Black-Green Marble







POSSA


“ *Environments That Engage
Every **Sense*** ”






POSSA

- 2601
- 2602
- 2603



LIGHT SOURCE	1x E27 LED - G45 Bulb MAX 5W
INPUT	220-240V 50/60Hz
DIMENSIONS	Ø: 20cm H: 35cm
BASE	Ø: 10cm H: 2.5cm
OPAL GLASS	Ø: 20cm
PORCELAIN	Ø: 6cm H: 15cm
MATERIAL	Metal - Porcelain - Opal Glass
SPECIAL FEATURE	250cm Fabric Cable Adjustable
FINISH	Green-Black Matt Blue-Black Matt Pink-Black Matt





PILO

“ Every **Soft** Glow
Is A **Quiet** Reminder
That Something Good Begins






PILO

2622




PILO

2623



LIGHT SOURCE	1x G9 LED Bulb MAX 7W
INPUT	220-240V 50/60Hz
DIMENSIONS	L: 11cm W: 17cm H: 21cm
BASE	Ø: 11cm L: 2.2cm
OPAL GLASS	Ø: 8cm
MATERIAL	Clay - Opal Glass
FINISH	Terracotta




LIGHT SOURCE	1x G9 LED Bulb MAX 7W
INPUT	220-240V 50/60Hz
DIMENSIONS	L: 11cm W: 13cm H: 25cm
BASE	L: 2cm W: 7.8cm H: 12.2cm
OPAL GLASS	Ø: 8cm
MATERIAL	Clay - Opal Glass
FINISH	Dark Coffee



LUNA

“ A Sense Of **Calm**
Is Built Into Every **Detail** ”






LUNA






26145



LIGHT SOURCE	LED 6W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	377Lm
CRI	84
NON DIMMABLE	⊗
DIMENSIONS	L: 12.5cm W: 35cm H: 35cm
BASE	L: 3cm W: 9.5cm H: 10cm
MATERIAL	Gypsum - Metal
SPECIAL FEATURE	Paintable Gypsum Body
FINISH	Pure White



LUNA




LIGHT SOURCE	LED 6W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	377Lm
CRI	84
NON DIMMABLE	☒
DIMENSIONS	L: 12.5cm W: 45cm H: 27.5cm
BASE	L: 3cm W: 9.5cm H: 10cm
MATERIAL	Gypsum - Metal
SPECIAL FEATURE	Paintable Gypsum Body
FINISH	Pure White





LUNA





LIGHT SOURCE	1x G9 LED Bulb MAX 5W
INPUT	220-240V 50/60Hz
DIMENSIONS	L: 10.5cm W: 20cm H: 18cm
MATERIAL	Gypsum - Metal
SPECIAL FEATURE	Up-Down Lighting Paintable Gypsum Body
FINISH	Pure White





LUNA



Integrate An Aluminium Profile & LED Strip Of Your Choice.

Find Aluminium Profiles on page 509.
Profile 20201 for IP20 Installation.
Profile 20193 for IP65 Installation.


DIMENSIONS	L: 5cm W: 100cm H: 8.5cm
MATERIAL	Gypsum
SPECIAL FEATURE	Paintable Gypsum Body Integratable Led Strip Profile No Lighting Source
FINISH	Pure White

*Find Recommended aluminium profile on page 509





LUNA




LIGHT SOURCE	1x E14 LED Bulb MAX 5W
INPUT	220-240V 50/60Hz
DIMENSIONS	L: 8.8cm W: 25cm H: 31cm
CUTTING HOLE	31cm x 25cm
DEPTH REQUIRED	10cm
MATERIAL	Gypsum
SPECIAL FEATURE	Trimless Installation Installation Flanges Included Paintable Gypsum Body
FINISH	Pure White





GIVA


“ *Light **Shapes** Spaces*
*Experience Shapes **Memories*** ”





GIVA

2664




LIGHT SOURCE INPUT	1x G9 LED Bulb MAX 5W 220-240V 50/60Hz
DIMENSIONS BASE	L: 17cm W: 7cm H: 25.4cm Ø: 10cm H: 3cm
MATERIAL	Metal - Gypsum
SPECIAL FEATURE	200cm Fabric Cable Adjustable
FINISH	Pink Beige



GIVA

2665



LIGHT SOURCE INPUT	1x G9 LED Bulb MAX 5W 220-240V 50/60Hz
DIMENSIONS BASE	L: 27.4cm W: 9cm H: 40.3cm Ø: 12cm H: 3cm
MATERIAL	Metal - Gypsum
SPECIAL FEATURE	200cm Fabric Cable Adjustable
FINISH	Pure White





BELLA

“ *The Ideal Light
Doesn't Just Fill A **Space**
It **Settles** It*






BELLA

2662

2663



LIGHT SOURCE INPUT	1x E27 Bulb MAX 40W 220-240V 50/60Hz
DIMENSIONS BASE	Ø: 16cm H: 17cm Ø: 10cm H: 3cm
MATERIAL SPECIAL FEATURE FINISH	Metal - Gypsum 200cm Fabric Cable Adjustable Pink Beige Black



GLASS



Clarity That Captivates
Illuminate Your Space With
The Charm Of Glass




VERSA

“ Create *Environments*
That Inspire *Excellence*
In People




VERSA

26170




LIGHT SOURCE	LED 26W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	2234Lm 2355Lm
CRI	80
DIMMABLE TRIAC	○
DIMENSIONS	L: 155cm W: 12cm H: 67.5cm
BASE	Ø: 18cm H: 3.5cm
STRIPED GLASS	L: 60cm W: 6cm H: 30cm
MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	140cm Transparent Cable Adjustable
FINISH	Brown Striped Glass-Brushed Brass





VERSA

26169



LIGHT SOURCE	LED 26W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	2234Lm 2355Lm
CRI	80
DIMMABLE TRIAC	○
DIMENSIONS	L: 155cm W: 12cm H: 67.5cm
BASE	Ø: 18cm H: 3.5cm
STRIPED GLASS	L: 60cm W: 6cm H: 30cm
MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	140cm Transparent Cable Adjustable
FINISH	Clear Striped Glass-Brushed Brass






VERSA

26171

26172



LIGHT SOURCE	LED 13W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	1194Lm 1238Lm
CRI	80
DIMMABLE TRIAC	○
DIMENSIONS	L: 76cm W: 6cm H: 67.5cm
BASE	Ø: 15cm H: 3.5cm
STRIPED GLASS	L: 60cm W: 6cm H: 30cm
MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	140cm Transparent Cable Adjustable
FINISH	Clear Striped Glass-Brushed Brass Brown Striped Glass-Brushed Brass






VERSA

26173

26174



LIGHT SOURCE	LED 9W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	768Lm 830Lm
CRI	80
DIMMABLE TRIAC	○
DIMENSIONS	L: 52cm W: 6cm H: 47.5cm
BASE	Ø: 15cm H: 3.5cm
STRIPED GLASS	L: 36cm W: 6cm H: 20cm
MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	140cm Transparent Cable Adjustable
FINISH	Clear Striped Glass-Brushed Brass Brown Striped Glass-Brushed Brass





KERI


“ *Light Doesn't Just Create
The Feeling To Move **Forward**
It Shows The Way You Can Do It* ”





KERI

26123




LIGHT SOURCE	LED 40W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	2107Lm 2315Lm
CRI	90
DIMMABLE TRIAC	☉
DIMENSIONS	L: 85cm W: 60cm H: 103.5-133.5cm
BASE	Ø: 18cm H: 3.5cm
GLASS	Ø: 3cm H: 17cm
MATERIAL	Metal - Aluminium - Glass
FINISH	Dark Antique Bronze-Milky White Glass



KERI

26124




LIGHT SOURCE	LED 65W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	3219Lm 3495Lm
CRI	90
DIMMABLE TRIAC	☉
DIMENSIONS	L: 120cm W: 42cm H: 103.5-133.5cm
BASE	Ø: 20cm H: 3.5cm
GLASS	Ø: 3cm H: 17cm
MATERIAL	Metal - Aluminium - Glass
FINISH	Dark Antique Bronze-Milky White Glass





KERI

26121




LIGHT SOURCE	LED 5W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	340Lm 402Lm
CRI	90
DIMMABLE TRIAC	○
DIMENSIONS	L: 8.8cm W: 5.5cm H: 24cm
BASE	L: 3.5cm W: 5.5cm H: 12.5cm
GLASS	Ø: 3cm H: 17cm
MATERIAL	Metal - Aluminium - Glass
FINISH	Dark Antique Bronze-Milky White Glass



KERI

26122



LIGHT SOURCE	LED 9W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	506Lm 604Lm
CRI	90
DIMMABLE TRIAC	○
DIMENSIONS	L: 8.8cm W: 5.5cm H: 44cm
BASE	L: 3.5cm W: 5.5cm H: 12.5cm
GLASS	Ø: 3cm H: 37cm
MATERIAL	Metal - Aluminium - Glass
FINISH	Dark Antique Bronze-Milky White Glass




TAPEL

“ A Great *Atmosphere*
Never Goes *Unnoticed* ”




TAPEL

2698




LIGHT SOURCE	LED 26W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	1604Lm 1712Lm
CRI	80
DIMMABLE TRIAC	○
DIMENSIONS	L: 100cm W: 85cm H: 23cm
BASE	Ø: 12cm H: 4cm
SHADES	Ø: 20cm H: 3cm Ø: 30cm H: 3cm
OPAL GLASS	Ø: 8cm H: 7cm
MATERIAL	Metal - Aluminium - Glass
FINISH	Black Matt-Opal-Tawny Glass





TAPEL

26100




LIGHT SOURCE	LED 38W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	2321Lm 2445Lm
CRI	80
DIMMABLE TRIAC	○
DIMENSIONS	L: 122cm W: 61cm H: 85-115cm
BASE	L: 70cm W: 6cm H: 4cm
SHADES	Ø: 20cm L: 3cm
OPAL GLASS	Ø: 8cm L: 7cm
MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	Adjustable Height
FINISH	Black Matt-Opal-Tawny Glass



TAPEL

2699




LIGHT SOURCE	LED 12W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	700Lm 784Lm
CRI	80
DIMMABLE TRIAC	○
DIMENSIONS	L: 15.5cm W: 40cm H: 58cm
BASE	Ø: 12cm L: 3cm
SHADES	Ø: 20cm L: 3cm
OPAL GLASS	Ø: 8cm L: 7cm
MATERIAL	Metal - Aluminium - Glass
FINISH	Black Matt-Opal-Tawny Glass






TAPEL

  26101




LIGHT SOURCE	LED 8W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	445Lm
CRI	80
DIMMABLE	☉
DIMENSIONS	Ø: 20cm H: 40cm
BASE	Ø: 20cm H: 0.7cm
SHADE	Ø: 20cm L: 3cm
OPAL GLASS	Ø: 8cm L: 7cm
MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	180cm Cable Available Touch Dimming Switch
FINISH	Black Matt-Opal-Tawny Glass





TAPEL

26102




LIGHT SOURCE	LED 19W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	943Lm
CRI	80
DIMMABLE	☉
DIMENSIONS	Ø: 30cm H: 160cm
BASE	Ø: 30cm H: 0.7cm
SHADES	Ø: 20cm L: 3cm
OPAL GLASS	Ø: 8cm L: 7cm
MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	180cm Cable Available Foot Dimming Switch
FINISH	Black Matt-Opal-Tawny Glass





OLIO

26175



LIGHT SOURCE	LED 26W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	1781Lm 1895Lm
CRI	80
DIMMABLE TRIAC	○
DIMENSIONS	L: 133cm W: 15cm H: 47cm
BASE	Ø: 20cm H: 3.5cm
GLASS	Ø: 15cm
MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	150cm Transparent Cable Adjustable
FINISH	Assorted Glass-Brushed Brass






OLIO

26176

26177



LIGHT SOURCE	1x G9 LED Bulb MAX 7W
INPUT	220-240V 50/60Hz
DIMENSIONS	Ø: 40cm L: 10.5cm
BASE	Ø: 15cm L: 2.5cm
OPAL GLASS	Ø: 8cm
MATERIAL	Metal - Glass
FINISH	Clear Glass-Brushed Brass Brown Glass-Brushed Brass






STALA

“ Thoughtfully Designed ***Spaces***
Bring People ***Together*** ”



STALA

26128




LIGHT SOURCE	LED 47W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	3300Lm 3625Lm
CRI	90
DIMMABLE TRIAC	☉
DIMENSIONS	Ø: 75cm H: 440cm
BASE	Ø: 65cm H: 4cm
SHADES	Ø: 18cm H: 4.5cm Ø: 15cm H: 3.5cm
RODS	Ø: 2.5cm H: 42cm Ø: 2.5cm H: 22cm
MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	400cm Cable Adjustable
FINISH	Clear Glass-Black Matt-Antique Bronze



Modulate Your Stala's Elegance

Pick The Glass That Fits Your Style

STALA




26130

26132



DIMENSIONS	Ø: 18cm H: 4.5cm
MATERIAL	Glass
FINISH	Brown Tinted Transparent Glass




26129

26131




DIMENSIONS	Ø: 15cm H: 3.5cm
MATERIAL	Glass
FINISH	Brown Tinted Transparent Glass





STALA

26127




LIGHT SOURCE	LED 20W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	1400Lm 1685Lm
CRI	90
DIMMABLE TRIAC	☉
DIMENSIONS	Ø: 55cm H: 440cm
BASE	Ø: 45cm H: 4cm
SHADES	Ø: 18cm H: 4.5cm Ø: 15cm H: 3.5cm
RODS	Ø: 2.5cm H: 42cm Ø: 2.5cm H: 22cm
MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	400cm Cable Adjustable
FINISH	Clear Glass-Black Matt-Antique Bronze





STALA

26126




LIGHT SOURCE	LED 42W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	3000Lm 3384Lm
CRI	90
DIMMABLE TRIAC	☉
DIMENSIONS	L: 130cm W: 30cm H: 440cm
BASE	L: 120cm W: 20cm H: 4cm
SHADES	Ø: 18cm H: 4.5cm Ø: 15cm H: 3.5cm
RODS	Ø: 2.5cm H: 42cm Ø: 2.5cm H: 22cm
MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	400cm Cable Adjustable
FINISH	Clear Glass-Black Matt-Antique Bronze





STALA

26125



LIGHT SOURCE	LED 7W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	420Lm 455Lm
CRI	90
DIMMABLE TRIAC	☐
DIMENSIONS	Ø: 18cm H: 42cm
BASE	Ø: 12cm H: 4.5cm
SHADES	Ø: 18cm H: 4.5cm Ø: 15cm H: 3.5cm
ROD	Ø: 2.5cm H: 42cm
MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	400cm Cable Adjustable
FINISH	Clear Glass-Black Matt-Antique Bronze





SAPEL


“ A Bright **Mindset**
Is The Finest **Luxury** ”





SAPEL

2688




LIGHT SOURCE	LED 15W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K 4000K
LUMEN OUTPUT	1237Lm 1322Lm 1369Lm
CRI	90
DIMMABLE TRIAC	☐
DIMENSIONS	Ø: 35cm H: 240cm
BASE	Ø: 35cm H: 3cm
GLASSES	Ø: 10cm H: 40.5cm
MATERIAL	Metal - Glass
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Champagne Glass-Sandy Gold



SAPEL

2689




LIGHT SOURCE	LED 31W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K 4000K
LUMEN OUTPUT	2618Lm 2890Lm 2949Lm
CRI	90
DIMMABLE TRIAC	☐
DIMENSIONS	Ø: 50cm H: 240cm
BASE	Ø: 50cm H: 3.5cm
GLASSES	Ø: 10cm H: 40.5cm
MATERIAL	Metal - Glass
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Champagne Glass-Sandy Gold



SAPEL

2691




LIGHT SOURCE	LED 25W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K 4000K
LUMEN OUTPUT	2117Lm 2282Lm 2331Lm
CRI	90
DIMMABLE TRIAC	☉
DIMENSIONS	L: 105cm W: 10cm H: 240cm
BASE	L: 105cm W: 6.5cm H: 3.5cm
GLASSES	Ø: 10cm H: 40.5cm
MATERIAL	Metal - Glass
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Champagne Glass-Sandy Gold





SAPEL

2690




LIGHT SOURCE	LED 7W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K 4000K
LUMEN OUTPUT	503Lm 548Lm 565Lm
CRI	90
DIMMABLE TRIAC	○
DIMENSIONS	Ø: 10cm H: 40.5cm
BASE	Ø: 10cm H: 3.5cm
GLASS	Ø: 10cm H: 40.5cm
MATERIAL	Metal - Glass
FINISH	Champagne Glass-Sandy Gold



SAPEL

26147



LIGHT SOURCE	LED 7W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K 4000K
LUMEN OUTPUT	503Lm 548Lm 565Lm
CRI	90
DIMMABLE TRIAC	☉
DIMENSIONS	L: 15cm W: 10cm H: 47cm
BASE	Ø: 10cm L: 3cm
GLASS	Ø: 10cm H: 40.5cm
MATERIAL	Metal - Glass
FINISH	Champagne Glass-Sandy Gold





LORR

“ *Illuminate Your Space,
Elevate Your Everyday* ”






LORR

2656

2657



LIGHT SOURCE	LED 26W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1840Lm
CRI	90
DIMMABLE TRIAC	☐
DIMENSIONS	L: 112cm W: 34cm H: 240cm
BASE	L: 105cm W: 25cm H: 3cm
GLASSES	Ø: 18cm Ø: 12cm
ROD	Ø: 3cm H: 36cm
MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Gold Glass-Gold Matt Smoked Glass-Black Matt






LORR

2654

2655



LIGHT SOURCE	LED 26W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1840Lm
CRI	90
DIMMABLE TRIAC	○
DIMENSIONS	Ø: 70cm H: 240cm
BASE	Ø: 60cm H: 4cm
GLASSES	Ø: 18cm
	Ø: 12cm
	Ø: 3cm H: 36cm
ROD	Ø: 3cm H: 36cm
MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Gold Glass-Gold Matt Smoked Glass-Black Matt





VITRO


“ Every **Shadow** Exists
To **Reveal** The Light
And Every Light **Lifts** You





VITRO

- 2607
- 2608
- 2609




LIGHT SOURCE	LED 8W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	715Lm 790Lm 820Lm
CRI	80
NON DIMMABLE	☒
DIMENSIONS	Ø: 28cm H: 26cm
BASE	Ø: 12cm H: 3cm
GLASS	Ø: 28cm H: 17.5cm
MATERIAL	Metal - Glass
SPECIAL FEATURE	250cm Cable Adjustable
FINISH	Smoked Grey Glass-Black Matt Gold Glass-Black Matt Light Brown Glass-Black Matt





VITRO

- 2610
- 2611
- 2612




LIGHT SOURCE	LED 4W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	365Lm 340Lm 390Lm
CRI	80
NON DIMMABLE	☒
DIMENSIONS	Ø: 15cm H: 16cm
BASE	Ø: 10cm H: 3cm
GLASS	Ø: 15cm H: 15cm
MATERIAL	Metal - Glass
SPECIAL FEATURE	250cm Cable Adjustable
FINISH	Smoked Grey Glass-Black Matt Gold Glass-Black Matt Light Brown Glass-Black Matt





VITRO

2613




LIGHT SOURCE	LED 11W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1150Lm
CRI	80
NON DIMMABLE	☒
DIMENSIONS	Ø: 34cm H: 275cm
BASE	Ø: 25cm H: 3.5cm
GLASSES	Ø: 12.5cm H: 20cm
	Ø: 18cm H: 11cm
	Ø: 15cm H: 16cm
MATERIAL	Metal - Glass
SPECIAL FEATURE	250cm Cable Adjustable
FINISH	Smoked Grey Glass-Black Matt





VITRO

2614



LIGHT SOURCE	LED 15W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1582Lm
CRI	80
NON DIMMABLE	⊗
DIMENSIONS	L: 89cm W: 18cm H: 275cm
BASE	L: 80cm W: 8cm H: 3.5cm
GLASSES	Ø: 12.5cm H: 20cm Ø: 18cm H: 11cm Ø: 15cm H: 16cm
MATERIAL	Metal - Glass
SPECIAL FEATURE	250cm Cable Adjustable
FINISH	Smoked Grey Glass-Black Matt








VITRO

2615




LIGHT SOURCE	LED 11W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1132Lm
CRI	80
NON DIMMABLE	☒
DIMENSIONS	Ø: 44cm H: 24cm
BASE	Ø: 35cm H: 3.5cm
GLASSES	Ø: 12.5cm H: 20cm Ø: 18cm H: 11cm Ø: 15cm H: 16cm
MATERIAL	Metal - Glass
FINISH	Smoked Grey Glass-Black Matt



VITRO

2616



LIGHT SOURCE	LED 18W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1864Lm
CRI	80
NON DIMMABLE	☒
DIMENSIONS	Ø: 59cm H: 24cm
BASE	Ø: 50cm H: 3.5cm
GLASSES	Ø: 12.5cm H: 20cm Ø: 18cm H: 11cm Ø: 15cm H: 16cm
MATERIAL	Metal - Glass
FINISH	Smoked Grey Glass-Black Matt



LIORA


“ *The Beauty Of **Calmness**
Is Found In **Simplicity*** ”





LIORA

- 2604
- 2605
- 2606



LIGHT SOURCE	LED 5W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	305Lm 315Lm 335Lm
CRI	80
NON DIMMABLE	⊗
DIMENSIONS	Ø: 20cm H: 35cm
BASE	Ø: 10cm H: 3cm
MATERIAL	Metal - Glass
SPECIAL FEATURE	250cm Transparent Cable Adjustable
FINISH	Grey Clear-White Matt Green Clear-White Matt Blue Clear-White Matt



DECO

Crafted To Stand Out
Decorative Luminaires That Define
The Mood And The Aesthetics Of Space



PICO




“ *Light Touches The **Space** First
Then The **Mood**
Always In That Order*



PICO

- 26163
- 26164
- 26165




LIGHT SOURCE	LED 68W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	2410Lm 2530Lm
CRI	80
DIMMABLE TRIAC	☉
DIMENSIONS	Ø: 60cm H: 6cm
BASE	Ø: 21cm H: 4cm
PROFILE	2.7cm x 6cm
MATERIAL	Metal - Aluminium - Acrylic
SPECIAL FEATURE	200cm Cable Adjustable Up-Down Lighting
FINISH	Sandy Black Sandy Beige Sandy Brown



PICO


- 26166
- 26167
- 26168



LIGHT SOURCE	LED 90W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	3876Lm 4003Lm
CRI	80
DIMMABLE TRIAC	☉
DIMENSIONS	Ø: 80cm H: 6cm
BASE	Ø: 21cm H: 4cm
PROFILE	2.7cm x 6cm
MATERIAL	Metal - Aluminium - Acrylic
SPECIAL FEATURE	200cm Cable Adjustable Up-Down Lighting
FINISH	Sandy Black Sandy Beige Sandy Brown







PICO

- 26160
- 26161
- 26162



LIGHT SOURCE	LED 40W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	1764Lm 1857Lm
CRI	80
DIMMABLE TRIAC	☉
DIMENSIONS	L: 122.5cm W: 2.7cm H: 6cm
BASE	Ø: 6cm H: 20cm
PROFILE	2.7cm x 6cm
MATERIAL	Metal - Aluminium - Acrylic
SPECIAL FEATURE	200cm Cable Adjustable Up-Down Lighting
FINISH	Sandy Black Sandy Beige Sandy Brown





LINOR


“ *Small **Details**
Bring Lasting **Impressions*** ”





LINOR

2692




LIGHT SOURCE	LED 17W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	1205Lm 1290Lm
CRI	90
BEAM ANGLE	36°
DIMMABLE TRIAC	○
DIMENSIONS	L: 80cm W: 5cm H: 13cm
BASE	L: 30cm W: 6cm H: 4cm
SPOTS	Ø: 5cm H: 7cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	200cm Cable Adjustable Rotatable Spots 350°
FINISH	Sandy Black



LINOR

2693




LIGHT SOURCE	LED 36W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	2198Lm 2331Lm
CRI	90
BEAM ANGLE	36°
DIMMABLE TRIAC	○
DIMENSIONS	L: 110cm W: 58cm H: 18.5cm
BASE	L: 45cm W: 7.2cm H: 3.5cm
SPOTS	Ø: 5cm H: 7cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	200cm Cable Adjustable Rotatable Spots 350°
FINISH	Sandy Black



LINOR

2694




LIGHT SOURCE	LED 9W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	343Lm 377Lm
CRI	90
BEAM ANGLE	36°
NON DIMMABLE	⊗
DIMENSIONS	L: 19cm W: 7.5cm H: 10cm
BASE	L: 2.8cm W: 7.5cm H: 10cm
SPOT	Ø: 5cm H: 7cm
SWITCH	On/Off
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	Rotatable Spot 350°
FINISH	Sandy Black





LINOR

2695




LIGHT SOURCE	LED 9W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	457Lm 493Lm
CRI	90
BEAM ANGLE	36°
DIMMABLE	○
DIMENSIONS	L: 90cm W: 28cm H: 250cm
BASE	Ø: 28cm H: 1cm
SPOT	Ø: 5cm H: 7cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	150cm Cable Available Dimming Foot Switch Rotatable Spot 350°
FINISH	Sandy Black





SEDO


“ *Designed To Shine
Made To Inspire* ”





SEDO

26107



LIGHT SOURCE	LED 47W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	1795Lm 1963Lm
CRI	90
DIMMABLE TRIAC	○
DIMENSIONS	L: 150cm W: 26cm H: 28cm
BASE	Ø: 7cm H: 20cm
STICKS	Ø: 1.5cm L: 122cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Sandy Black-White






SILCO

“ Let *Everyday* Begin
With A Sense Of *Possibility* ”




SILCO

2638




LIGHT SOURCE	LED 46W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1860Lm
CRI	90
DIMMABLE TRIAC	☐
DIMENSIONS	L: 53cm W: 53cm H: 26.5cm
BASE	Ø: 32cm H: 4cm
MATERIAL	Metal - Aluminium - Silicone
FINISH	Sandy Black-White




SILCO

2637



LIGHT SOURCE	LED 13W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	780Lm
CRI	80
DIMMABLE TRIAC	☐
DIMENSIONS	L: 10cm W: 24.5cm H: 47cm
BASE	Ø: 9cm L: 10cm
MATERIAL	Metal - Aluminium - Silicone
FINISH	Sandy Black





POLA

“ Where Light **Lives**
Comfort **Follows** ”






POLA

2639

2640



LIGHT SOURCE	LED 13W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	670Lm
CRI	80
DIMMABLE TRIAC	☐
DIMENSIONS	L: 13cm W: 30cm H: 34cm
BASE	Ø: 10cm L: 3.8cm
MATERIAL	Metal - Aluminium - Silicone
FINISH	Sandy Black-Brushed Gold Sandy White-Brushed Gold





VOLO


“ A Sense Of **Calm**
Is Built Into Every **Detail** ”





VOLO

- 2658
- 2659
- 2660




LIGHT SOURCE	LED 10W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	838Lm
CRI	80
NON DIMMABLE	⊗
DIMENSIONS	L: 7cm W: 21.2cm H: 16.5cm
BASE	Ø: 7cm L: 4.5cm
MATERIAL	Metal - Acrylic
FINISH	Brushed Gold Sandy White Sandy Black



SENTA




“ Sometimes You **Decide**
The **Path** Your **Light** Follows.



SENTA


2633

2634




LIGHT SOURCE	LED 29W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1836Lm
CRI	90
BEAM ANGLE	36°
DIMMABLE TRIAC	☉
DIMENSIONS	L: 150cm W: 8cm H: 210cm
BASE	Ø: 6cm H: 12cm
SPOTS	Ø: 3cm H: 10cm
PROFILE	1cm x 1cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	200cm Cable Adjustable Movable Spots 359°
FINISH	Sandy Black Sandy Black-Brushed Gold










SENTA

- 2635
- 2636




LIGHT SOURCE	LED 29W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1830Lm
CRI	90
BEAM ANGLE	36°
DIMMABLE TRIAC	○
DIMENSIONS	Ø: 67cm H: 210cm
BASE	Ø: 6cm H: 12cm
SPOTS	Ø: 3cm H: 10cm
PROFILE	1cm x 1cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	200cm Cable Adjustable Movable Spots 359°
FINISH	Sandy Black Sandy Black-Brushed Gold



SENTA

Plug & Play - Reading Light




Adaptable Spot Profile With Dual-Rotation
For Left Or Right Side Mounting.





SENTA

- 2630
- 2631
- 2632



LIGHT SOURCE	LED 6W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	266Lm
CRI	90
BEAM ANGLE	36°
NON DIMMABLE	☒
DIMENSIONS	L: 9.5cm W: 5.4cm H: 35cm
BASE	L: 4.4cm W: 5.4cm H: 8cm
SPOT	Ø: 3cm L: 12cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	Plug & Play Rotatable Spot 359° Rotatable Half-Profile 360°
FINISH	Sandy Black Sandy White Sandy Black-Brushed Gold





JAVA

“ *Illuminate Ideas*
*Capture **Attention***
*Create **Meaningful** Moments* ”






JAVA

2682

2683



LIGHT SOURCE	LED 36W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K 4000K
LUMEN OUTPUT	1186Lm 1370Lm 1510Lm
CRI	80
DIMMABLE TRIAC	☉
DIMENSIONS	Ø: 48cm H: 7.5cm
BASE	Ø: 40.5cm H: 3.6cm
MATERIAL	Metal - Aluminium - Acrylic
SPECIAL FEATURE	Indirect & Up Lighting
FINISH	Cappuccino-Sandy White Cappuccino-Sandy Black





JAVA

2684

2685




2700K



3000K



4000K



LIGHT SOURCE	LED 50W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K 4000K
LUMEN OUTPUT	1852Lm 2175Lm 2307Lm
CRI	80
DIMMABLE TRIAC	ⓘ
DIMENSIONS	Ø: 70cm H: 7.5cm
BASE	Ø: 58cm H: 3.1cm
MATERIAL	Metal - Aluminium - Acrylic
SPECIAL FEATURE	Indirect & Up Lighting
FINISH	Cappuccino-Sandy White Cappuccino-Sandy Black



SIGMA



“ Some Things Can Be **Measured**
A **Feeling** Isn't One Of Them





SIGMA

2686




LIGHT SOURCE	LED 46W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K 4000K
LUMEN OUTPUT	1779Lm 1939Lm 2075Lm
CRI	80
DIMMABLE TRIAC	☉
DIMENSIONS	L: 6.2cm W: 60cm H: 65cm
SQUARE	W: 35cm H: 35cm
CIRCLE	Base: Ø: 20cm
	Ø: 45cm
	Base: Ø: 20cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	Back Lighting
	Cable Connection In Between Shapes
FINISH	Sandy White-Cappuccino



SIGMA

 2687



LIGHT SOURCE	LED 94W
	220-240V 50/60Hz
	2700K 3000K 4000K
	3736Lm 4072Lm 4447Lm
	80
DIMMABLE TRIAC	☒
DIMENSIONS	L: 6.2cm W: 75cm H: 110cm
	W: 45cm H: 45cm
	Base: Ø: 20cm
	Ø: 55cm Ø: 35cm
CIRCLES	Bases: Ø: 20cm Ø: 20cm
MATERIAL	Metal - Aluminium
	Back Lighting
SPECIAL FEATURE	Cable Connection In Between Shapes
FINISH	Sandy White-Cappuccino






MIRA

“ The **Greatest** Details
Showcase The Best **Reflections** ”




MIRA
2666



LIGHT SOURCE	LED 7W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	243Lm
CRI	80
NON DIMMABLE	⊗
DIMENSIONS	Ø: 30cm L: 10.5cm
BASE	Ø: 12cm L: 3cm
MATERIAL	Metal - Mirror - Acrylic
SPECIAL FEATURE	Rotatable 359° - Tilt Up-Down IP20
FINISH	Mirror-White Matt



MIRA
2667



LIGHT SOURCE	LED 10W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	344Lm
CRI	80
NON DIMMABLE	⊗
DIMENSIONS	Ø: 40cm L: 10.5cm
BASE	Ø: 12cm L: 3cm
MATERIAL	Metal - Mirror - Acrylic
SPECIAL FEATURE	Rotatable 359° - Tilt Up-Down IP20
FINISH	Mirror-White Matt



KONA


“ No *Intensity* Needed
Just A Little Light
And *Balance* Returns





KONA

- 2675
- 2676




LIGHT SOURCE	LED 11W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	670Lm
CRI	90
BEAM ANGLE	36°
DIMMABLE TRIAC	○
DIMENSIONS	Ø: 40cm H: 12.5cm
BASE	Ø: 5.5cm H: 9cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Khaki-Sandy Black Nude Pink-Sandy Black





KONA

- 2677
- 2678



LIGHT SOURCE	LED 11W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	670Lm
BEAM ANGLE	36°
CRI	90
DIMMABLE TRIAC	○
DIMENSIONS	Ø: 55cm H: 10cm
BASE	Ø: 5.5cm H: 9cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Khaki-Sandy Black Nude Pink-Sandy Black





FLORA




“ *Comfort Is Not A Luxury
It's Where Great **Moments** Begin* ”







FLORA

- 2619
- 2620
- 2621



LIGHT SOURCE	LED 6W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	198Lm
CRI	95
NON DIMMABLE	⊗
DIMENSIONS	Ø: 45cm L: 11cm
BASE	Ø: 8cm L: 5.3cm
MATERIAL	Metal - Aluminium - Acrylic
FINISH	Khaki Light Brown Nude Pink









SONA

“ Less *Echo*
More *Atmosphere* ”





LIGHT SOURCE	LED 6W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	198Lm
CRI	95
NON DIMMABLE	☒
DIMENSIONS	Ø: 35cm L: 7.2cm
BASE	Ø: 8cm L: 5cm
MATERIAL	Metal - Acoustic Panel - Acrylic
SPECIAL FEATURE	Snow Pattern
FINISH	Grey-Black Matt



LIGHT SOURCE	LED 6W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	198Lm
CRI	95
NON DIMMABLE	☒
DIMENSIONS	Ø: 35cm L: 7.2cm
BASE	Ø: 8cm L: 5cm
MATERIAL	Metal - Acoustic Panel - Acrylic
SPECIAL FEATURE	Diamond Pattern
FINISH	Grey-Black Matt

ECHO

“ Once Light Meets **Silence**
Focus Comes Naturally






ECHO

2679

2680





LIGHT SOURCE	LED 26W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	2186Lm
CRI	90
DIMMABLE TRIAC	○
DIMENSIONS	L: 110cm W: 7.5cm H: 31cm
BASE	L: 34cm W: 10.7cm H: 6cm
MATERIAL	Metal - Acoustic Panel
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Light Grey Light Green





ECHO

2681




LIGHT SOURCE	LED 13W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	1070Lm 1137Lm
CRI	90
DIMMABLE TRIAC	○
DIMENSIONS	L: 40cm W: 17.5cm H: 37.5cm
BASE	Ø: 8.5cm H: 10.2cm
MATERIAL	Metal - Acoustic Panel
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Coffee



Warm Glow - Flexible Placement
Create Cozy Corners With Floor & Table Lights

FLOOR & TABLE





MASU



“ *Texture* Creates Depth
Nature Creates Meaning





MASU

2661




LIGHT SOURCE	1x E27 Bulb MAX 40W
INPUT	220-240V 50/60Hz
DIMENSIONS	Ø: 40cm H: 55cm
BASE	Ø: 16cm H: 35cm
SHADE	Ø: 40cm H: 20cm
MATERIAL	Sandstone Gypsum - Metal
SPECIAL FEATURE	150cm White Cable Available
FINISH	White Sandstone





MASU

26154




LIGHT SOURCE	1x E27 Bulb MAX 40W
INPUT	220-240V 50/60Hz
DIMENSIONS	Ø: 32cm H: 36.4cm
BASE	Ø: 12cm H: 22.4cm
SHADE	Ø: 32cm H: 14cm
MATERIAL	Risen - Metal
SPECIAL FEATURE	150cm Transparent Cable Available
FINISH	White



NEXOR

26188




LIGHT SOURCE	1x E27 Bulb MAX 40W
INPUT	220-240V 50/60Hz
DIMENSIONS	Ø: 40cm H: 66.9cm
SHADE	Ø: 40cm H: 25cm
MATERIAL	Marble - Metal - Fabric
SPECIAL FEATURE	150cm White Cable Available
FINISH	White Marble-Gold Matt





NEXOR

26152




LIGHT SOURCE	1x E27 Bulb MAX 40W
INPUT	220-240V 50/60Hz
DIMENSIONS	Ø: 33cm H: 56.9cm
BASE	Ø: 10cm H: 35cm
SHADE	Ø: 33cm H: 20cm
MATERIAL	Metal - Marble - Fabric
SPECIAL FEATURE	150cm Transparent Cable Available
FINISH	White Marble-Champagne Shade



NEXOR

26159




LIGHT SOURCE	1x E27 Bulb MAX 40W
INPUT	220-240V 50/60Hz
DIMENSIONS	Ø: 39cm H: 152cm
BASE	Ø: 16cm H: 16cm
SHADE	Ø: 39cm H: 28cm
MATERIAL	Metal - Marble - Linen Fabric
SPECIAL FEATURE	200cm Transparent Cable Available
FINISH	White Marble-Brushed Brass-White Shade





DIKO

26156




LIGHT SOURCE	2x E27 Bulb MAX 40W
INPUT	220-240V 50/60Hz
DIMENSIONS	Ø: 30cm H: 44.4cm
BASE	Ø: 12cm H: 28.4cm
SHADE	Ø: 30cm H: 15cm
MATERIAL	Metal - Marble - Glass
SPECIAL FEATURE	150cm Black Cable Available
FINISH	Brown-Black Marble-White Shade





DIKO

26155




LIGHT SOURCE	1x E27 Bulb MAX 40W
INPUT	220-240V 50/60Hz
DIMENSIONS	Ø: 32.6cm H: 41.1cm
BASE	Ø: 13cm H: 27cm
SHADE	Ø: 32.6cm H: 14.6cm
MATERIAL	Metal - Marble
SPECIAL FEATURE	Tilt Up-Down Shade 150cm Black Cable Available
FINISH	Brown-Black Marble-Brushed Gold Shade



FINO

26148




LIGHT SOURCE	1x E27 Bulb MAX 40W
INPUT	220-240V 50/60Hz
DIMENSIONS	Ø: 30cm H: 58.5cm
BASE	Ø: 25cm H: 27.5cm
SHADE	Ø: 30cm H: 28cm
MATERIAL	Metal - Ceramic - Linen Fabric
SPECIAL FEATURE	150cm Transparent Cable Available
FINISH	Distressed Black-Grey Linen



FINO

26150




LIGHT SOURCE	1x E27 Bulb MAX 40W
INPUT	220-240V 50/60Hz
DIMENSIONS	Ø: 43cm H: 58cm
BASE	Ø: 22cm H: 28cm
SHADE	Ø: 43cm H: 23cm
MATERIAL	Metal - Ceramic - Fabric
SPECIAL FEATURE	150cm Transparent Cable Available
FINISH	Ivory White-Grey-Beige Shade





FINO

26149




LIGHT SOURCE	1x E27 Bulb MAX 40W 220-240V 50/60Hz
DIMENSIONS	Ø: 37cm H: 51.9cm
BASE	Ø: 25cm H: 24.5cm
SHADE	Ø: 37cm H: 25cm
MATERIAL	Metal - Ceramic - Linen Fabric
SPECIAL FEATURE	150cm Transparent Cable Available
FINISH	White Ceramic-Beige Shade



FINO

26151




LIGHT SOURCE	1x E27 Bulb MAX 40W
INPUT	220-240V 50/60Hz
DIMENSIONS	Ø: 30cm H: 70.4cm
BASE	Ø: 20cm H: 34cm
SHADE	Ø: 30cm H: 32cm
MATERIAL	Metal - Ceramic - Linen Fabric
SPECIAL FEATURE	150cm Transparent Cable Available
FINISH	White Ceramic-Brown Shade



FINO

26153




LIGHT SOURCE	1x E27 Bulb MAX 40W
INPUT	220-240V 50/60Hz
DIMENSIONS	Ø: 43.5cm H: 63.8cm
BASE	Ø: 12cm H: 37.8cm
SHADE	Ø: 43.5cm H: 23cm
MATERIAL	Metal - Ceramic - Fabric
SPECIAL FEATURE	150cm Transparent Cable Available
FINISH	White Ceramic-Grey-Beige Shade





FINO

26158




LIGHT SOURCE	1x E27 Bulb MAX 40W
INPUT	220-240V 50/60Hz
DIMENSIONS	Ø: 41cm H: 46.2cm
BASE	Ø: 26cm H: 23cm
SHADE	Ø: 41cm H: 20cm
MATERIAL	Metal - Ceramic - Linen Fabric
SPECIAL FEATURE	150cm White Cable Available
FINISH	Crimson Ceramic-Beige Velvet





FINO

26187




LIGHT SOURCE INPUT	1x E27 Bulb MAX 40W 220-240V 50/60Hz
DIMENSIONS	Ø: 30cm H: 53cm
BASE	Ø: 14cm H: 26cm
SHADE	Ø: 30cm H: 25cm
MATERIAL	Metal - Ceramic - Linen Fabric
SPECIAL FEATURE	150cm Transparent Cable Available
FINISH	Terracotta-Beige Shade



VION

26157



LIGHT SOURCE	1x E27 Bulb MAX 40W
INPUT	220-240V 50/60Hz
DIMENSIONS	Ø: 38cm H: 62cm
BASE	Ø: 25.4cm H: 35.4cm
SHADE	Ø: 38cm H: 25.5cm
MATERIAL	Metal - Glass - Linen Fabric
SPECIAL FEATURE	150cm White Cable Available
FINISH	Bronze-White Shade



CEILING SPOTS




Focused Light, Exceptional Style
Illuminate Every Corner with Precision



VISTA

“ In the *Simplicity Of Light*
Lives The Purest Form Of *Ease* ”






LIGHT SOURCE INPUT	3x GU10 LED Bulb MAX 5W 220-240V 50/60Hz
DIMENSIONS	L: 70cm W: 8.5cm H: 10cm
BASE	L: 70cm W: 8.5cm H: 1.5cm
SPOTS	Ø: 5.5cm H: 8cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	Movable Spots
FINISH	Sandy Black Sandy White-Sandy Black Brushed Gold-Sandy Black

VISTA

- 2668
- 2669
- 2670



LIGHT SOURCE INPUT	4x GU10 LED Bulb MAX 5W 220-240V 50/60Hz
DIMENSIONS	L: 120cm W: 8.5cm H: 10cm
BASE	L: 120cm W: 8.5cm H: 1.5cm
SPOTS	Ø: 5.5cm H: 8cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	Movable Spots
FINISH	Sandy Black Sandy White-Sandy Black Brushed Gold-Sandy Black


VISTA

- 2671
- 2672
- 2673



VISTA

- 2627
- 2628
- 2629




LIGHT SOURCE	2x GU10 LED Bulb MAX 5W
INPUT	220-240V 50/60Hz
DIMENSIONS	L: 25cm W: 8.5cm H: 10cm
BASE	L: 25cm W: 8.5cm H: 1.5cm
SPOTS	Ø: 5.5cm H: 8cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	Movable Spots
FINISH	Sandy Black Sandy White-Sandy Black Brushed Gold-Sandy Black






VISTA

- 2624
- 2625
- 2626



LIGHT SOURCE	1x GU10 LED Bulb MAX 5W
INPUT	220-240V 50/60Hz
DIMENSIONS	L: 18cm W: 8.5cm H: 10cm
BASE	L: 18cm W: 8.5cm H: 1.5cm
SPOT	Ø: 5.5cm H: 8cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	Movable Spot
FINISH	Sandy Black Sandy White-Sandy Black Brushed Gold-Sandy Black





CONTENTS

OUTDOOR

01. CONCRETE | p.358 - 379

02. FLOOR & WALL | p.380 - 411

03. WALL | p.412 - 437

04. SPIKES | p.438 - 479

05. STEP | p.480 - 507

CONCRETE



Concrete Glow - Natural Flow
Rugged Elegance For Unique Outdoor Space


TERC

“ Every **Surface**
Tells A Story Of **Resilience** ”




TERC

E555



LIGHT SOURCE	LED 7W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	542Lm
CRI	90
IP	65
DIMENSIONS	L: 20cm W: 12cm H: 30cm
BASE	D: 23.5cm-14.5cm 18.5cm-16cm
MATERIAL	Concrete - Stainless Steel
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Terracotta-Sandy Black






TERC

E556

E557



LIGHT SOURCE	LED 6W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	444Lm
CRI	90
IP	65
DIMENSIONS	L: 23cm W: 15.8cm H: 11.5cm
BASE	W: 9cm H: 9cm
MATERIAL	Concrete - Stainless Steel
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Terracotta-Sandy Black Natural Concrete-Sandy Black





RINA


“ *Minimal In Form
Powerful In **Presence*** ”





RINA

E558




LIGHT SOURCE	LED 7W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	545Lm
CRI	90
BEAM ANGLE	100°
IP	65
DIMENSIONS	Ø: 15cm H: 50cm
BASE	Ø: 20cm H: 0.3cm
HOLE	Ø: 9cm
MATERIAL	Concrete - Stainless Steel
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Natural Concrete-Sandy Black





OVA

E537



LIGHT SOURCE	LED 5W
INPUT	24V
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	270Lm
CRI	90
IP	65
DIMENSIONS	Ø: 10cm H: 65.5cm
SHADE	Ø: 10cm H: 4cm
BASE	Ø: 6cm H: 0.5cm
MATERIAL	Concrete - Stainless Steel - Tempered Glass
SPECIAL FEATURE	50cm Cable Available Waterproof Connector IP68 Included
FINISH	Natural Concrete-Sandy Black

*Find Recommended driver on page 508



CRETE

“ **Open** The Door
Let **Life** Continue Outdoors






CRETE

- 3000K E539
- 2700K E539-27




CRETE

- 3000K E538
- 2700K E538-27




LIGHT SOURCE	LED 11W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	544Lm 595Lm
CRI	90
IP	65
DIMENSIONS	L: 16.5cm W: 13cm H: 45cm
BASE	L: 9cm W: 18cm H: 0.3cm
MATERIAL	Concrete - Stainless Steel Tempered Glass
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Sand Concrete-Sandy Black



LIGHT SOURCE	LED 11W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	544Lm 595Lm
CRI	90
IP	65
DIMENSIONS	L: 16.5cm W: 13cm H: 20cm
BASE	L: 9cm W: 18cm H: 0.3cm
MATERIAL	Concrete - Stainless Steel Tempered Glass
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Sand Concrete-Sandy Black

CRETE

E566




LIGHT SOURCE	LED 4W
INPUT	24V
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	209Lm
CRI	94
IP	65
DIMENSIONS	Ø: 12cm H: 90cm
SHADE	Ø: 12cm H: 4cm
BASE	Ø: 6cm H: 0.5cm
MATERIAL	Concrete - Stainless Steel - Tempered Glass
SPECIAL FEATURE	50cm Cable Available Waterproof Connector IP68 Included
FINISH	Sand Concrete-Sandy Black

*Find Recommended driver on page 508



Wall to Floor - One Style
Seamless Design Connection Across Surfaces

FLOOR & WALL





ARIA


“ Strong *Lines*
Soft *Atmosphere* ”





ARIA

● E529




LIGHT SOURCE	LED 13W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	709Lm
CRI	90
IP	65
DIMENSIONS	Ø: 24cm H: 80cm
SHADE	Ø: 24cm H: 6cm
GLASS	Ø: 7.5cm H: 16cm
MATERIAL	Aluminium - Glass
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Sandy Coffee





ARIA


● E527




LIGHT SOURCE	LED 13W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	709Lm
CRI	90
IP	54
DIMENSIONS	L: 30cm W: 24cm H: 22cm
BASE	Ø: 10cm L: 4.5cm
SHADE	Ø: 24cm H: 6cm
GLASS	Ø: 7.5cm H: 16cm
MATERIAL	Aluminium - Glass
FINISH	Sandy Coffee

ARIA

E528




LIGHT SOURCE	LED 13W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	709Lm
CRI	90
IP	54
DIMENSIONS	Ø: 24cm H: 19.6cm
SHADE	Ø: 24cm H: 6cm
GLASS	Ø: 7.5cm H: 16cm
BASE	Ø: 12cm H: 3.5cm
MATERIAL	Aluminium - Glass
FINISH	Sandy Coffee





DUNE

- E520
- E521




LIGHT SOURCE	LED 10W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	770Lm
CRI	80
IP	65
DIMENSIONS	Ø: 9.5cm H: 50cm
MATERIAL	Aluminium - PC Diffuser
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Graphite Sandy Coffee



LOOP

E345-27




LIGHT SOURCE	LED 10W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	871Lm
CRI	80
IP	65
DIMENSIONS	Ø: 12cm H: 65cm
MATERIAL	Aluminium - PC Diffuser
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Sandy Coffee





CURV

E525





LIGHT SOURCE	LED 7W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	437Lm
CRI	90
IP	65
DIMENSIONS	Ø: 12.5cm H: 60cm
BASE	Ø: 10cm H: 0.8cm
MATERIAL	Aluminium - Glass - Acrylic
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Beige-Brown (Taupe)



CURV

E526




LIGHT SOURCE	LED 7W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	437Lm
CRI	90
IP	54
DIMENSIONS	L: 15.8cm W: 12.5cm H: 20.6cm
BASE	L: 3.5cm W: 7.5cm H: 9cm
MATERIAL	Aluminium - Clear Glass - Acrylic
FINISH	Beige-Brown (Taupe)



STING

● E524




LIGHT SOURCE	LED 17W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1034Lm
CRI	90
IP	65
DIMENSIONS	Ø: 22cm H: 130cm
BASE	Ø: 10cm H: 10.5cm
MATERIAL	Aluminium - Acrylic
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Sandy Coffee





LEN

E533





LIGHT SOURCE	LED 9W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	418Lm
CRI	90
IP	65
DIMENSIONS	L: 11cm W: 14.5cm H: 86cm
SPOT	Ø: 11cm H: 5cm
BASE	Ø: 10cm H: 10.5cm
MATERIAL	Aluminium - Tempered Glass
SPECIAL FEATURE	Movable Spot 300° Convex Lens Waterproof Connector IP68 Included
FINISH	Sandy Brown





ZET

- E563
- E630




LIGHT SOURCE	LED 2x 21W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	2480Lm
CRI	95
IP	65
DIMENSIONS	L: 49cm W: 5cm H: 250cm
BASE	L: 12cm W: 12cm H: 1cm
PROFILE	5cm x 5cm
MATERIAL	Aluminium
SPECIAL FEATURE	Convex Lenses Waterproof Connector IP68 Included
FINISH	Dark Grey-Sandy Coffee Dark Coffee Beige-Brown (Taupe)







ZET

E562




LIGHT SOURCE	LED 9W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	542Lm
CRI	95
IP	65
DIMENSIONS	L: 27cm W: 5cm H: 60cm
BASE	L: 10cm W: 10cm H: 1cm
PROFILE	5cm x 5cm
MATERIAL	Aluminium
SPECIAL FEATURE	Convex Lens Waterproof Connector IP68 Included
FINISH	Sandy Coffee Beige-Brown (Taupe)





HALO

● E512



LIGHT SOURCE	LED 20W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1346Lm
CRI	90
IP	65
DIMENSIONS	Ø: 24.5cm H: 250cm
BASE	Ø: 15cm H: 7cm
PROFILE	Ø: 3cm
MATERIAL	Aluminium - Tempered Glass
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Sandy Black





LURA

● E297-27




LIGHT SOURCE	LED 9W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	674Lm
CRI	80
IP	65
BEAM ANGLE	120°
DIMENSIONS	L: 13.5cm W: 10cm H: 65cm
MATERIAL	Aluminium - Tempered Glass
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Sandy Black





HORO

● E249-27



LIGHT SOURCE	LED 12W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	970Lm
CRI	80
IP	65
DIMENSIONS	Ø: 15cm H: 100cm
SHADE	Ø: 15cm H: 2cm
BASE	Ø: 9.8cm H: 1.5cm
MATERIAL	Aluminium - PC Diffuser
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Sandy Black




WALL

Light That Defines Walls
Captivating Outdoor Wallscapes With Style



CYCLO

E564




LIGHT SOURCE	LED 8W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	395Lm
CRI	95
IP	54
DIMENSIONS	L: 17cm W: 10cm H: 24cm
SHADE	Ø: 8cm L: 2.5cm
BASE	Ø: 10cm L: 3.4cm
MATERIAL	Aluminium - Tempered Glass
SPECIAL FEATURE	Convex Lenses Up-Down Lighting
FINISH	Beige-Brown (Taupe)





CONE

■ E536




LIGHT SOURCE	LED 13W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	711Lm
CRI	90
IP	54
DIMENSIONS	L: 20.5cm W: 18cm H: 9.5cm
SHADE	Ø: 18cm H: 9.5cm
MATERIAL	Aluminium - Acrylic
FINISH	Sandy Coffee





ORIS

E561






LIGHT SOURCE	LED 3W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	195Lm
CRI	80
IP	54
DIMENSIONS	L: 7cm W: 7.5cm H: 11.5cm
MATERIAL	Aluminium
FINISH	Beige-Brown (Taupe)



ZUMA

E519




LIGHT SOURCE	LED 10W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	320Lm
CRI	80
IP	54
DIMENSIONS	L: 3.3cm W: 22cm H: 16.5cm
BASE	Ø: 9.5cm L: 1.5cm
MATERIAL	Aluminium - PC Diffuser
SPECIAL FEATURE	Rotatable Light Flap 360°
FINISH	Sandy Coffee





RIBS

E565




LIGHT SOURCE	LED 15W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	725Lm
CRI	90
IP	54
DIMENSIONS	L: 7cm W: 6.5cm H: 60cm
MATERIAL	Aluminium - Stripped Glass
FINISH	Sandy Coffee






SILA

● E287-27




LIGHT SOURCE	12W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	947Lm
CRI	80
IP	65
DIMENSIONS	L: 9.5cm W: 4.5cm H: 80cm
BASE	L: 9cm W: 4.5cm H: 12.5cm
MATERIAL	Aluminium - PC Diffuser
FINISH	Sandy Black





AURA

- E545
- E546




LIGHT SOURCE	LED 13W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	656Lm
CRI	80
IP	65
DIMENSIONS	L: 3.7cm W: 9.5cm H: 60cm
BASE	L: 3.3cm W: 5.5cm H: 55.3cm
MATERIAL	Aluminium - PC Diffuser
SPECIAL FEATURE	Horizontal and Vertical Installation Up-Down Lighting Waterproof Connector IP68 Included
FINISH	Sandy Black Sandy Coffee





AURA

- E547
- E548




LIGHT SOURCE	LED 30W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1489Lm
CRI	80
IP	65
DIMENSIONS	L: 3.7cm W: 9.5cm H: 120cm
BASE	L: 3.3cm W: 5.5cm H: 115.3cm
MATERIAL	Aluminium - PC Diffuser
SPECIAL FEATURE	Horizontal and Vertical Installation Up-Down Lighting Waterproof Connector IP68 Included
FINISH	Sandy Black Sandy Coffee






SIRO

- E534
- E535



LIGHT SOURCE	LED 9W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	457Lm
CRI	90
IP	54
DIMENSIONS	L: 4cm W: 18cm H: 8cm
BASE	L: 3.5cm W: 16cm H: 6cm
MATERIAL	Aluminium - Acrylic
SPECIAL FEATURE	Horizontal and Vertical Installation Up-Down Lighting
FINISH	Sandy Coffee Graphite






COVE

E238-27

LIGHT SOURCE	LED 2x 3W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	456Lm
CRI	80
IP	65
DIMENSIONS	L: 3.1cm W: 11cm H: 9cm
MATERIAL	Aluminium - Tempered Glass
SPECIAL FEATURE	Up-Down Lighting
FINISH	Sandy Coffee



COVE

E239-27


LIGHT SOURCE	LED 2x 6W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	912Lm
CRI	80
IP	65
DIMENSIONS	L: 3.1cm W: 17.5cm H: 9cm
MATERIAL	Aluminium - Tempered Glass
SPECIAL FEATURE	Up-Down Lighting
FINISH	Sandy Coffee





AXIS

● E262-27




LIGHT SOURCE	LED 2x 13.5W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	1465Lm 1500Lm
CRI	80
IP	65
DIMENSIONS	L: 10.6cm W: 22cm H: 9cm
MATERIAL	Aluminium - Tempered Glass
SPECIAL FEATURE	Up-Down Lighting
FINISH	Sandy Black



DART

E235-27




LIGHT SOURCE	LED 12W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	1297Lm
CRI	80
IP	65
BEAM ANGLE	38°
DIMENSIONS	L: 15.7cm W: 7.5 H:17.5cm
BASE	Ø: 8cm L: 2.8cm
SPOT	Ø: 7.5cm H: 17.5cm
MATERIAL	Aluminium - Tempered Glass
SPECIAL FEATURE	Rotatable 0-220° - Tilt Up-Down
FINISH	Sandy Black



SPIKES

Precise Lighting Grounded Installation
Spike Lights For Targeted Garden Illumination





LOOC

“ Every *Garden*
Has Its Own *Golden Hour* ”




24V outdoor spotlight fixtures, compatible with a range of spot accessories, featuring 2700K-3000K SMD LEDs and an IP68 cable connector. Corrosion-resistant aluminium housing with an electrostatically applied powder-coated. Finish, available in Black and Coffee. Driver must be ordered separately.





L00C

- 2700K  E569
- 2700K  E571
- 3000K  E570
- 3000K  E572




LIGHT SOURCE	LED 5W
INPUT	24V
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	417Lm 469Lm
CRI	90
IP	65
BEAM ANGLE	24°
DIMENSIONS	L: 7 cm W: 6.5cm H: 7.7cm
SPOT	Ø: 5.5cm L: 7cm
MATERIAL	Aluminium
SPECIAL FEATURE	100cm Cable Available Waterproof Connector IP68 Included Spike Not Included
FINISH	Sandy Black Sandy Coffee

*Find Recommended driver on page 508



Asymmetrical Snoot



Lenses



Color Filters



Honeycomb

ACCESSORIES FOR 5W - L00C



-  E578
-  E579

DIMENSIONS Ø: 5.5cm H: 3cm

Snoot for asymmetrical optics with an aluminium body in black or coffee finish



- 15° E573
- 36° E574
- 60° E575

DIMENSIONS Ø: 4.5cm H: 2.2cm

Optic Lenses for customising and diversifying beam of light



E576

DIMENSIONS Ø: 4.2cm H: 0.3cm

Colorful Transparent Plastic Diffusers that set the desired preference in color of light.
1x White, 1x Green, 1x Yellow, 1x Red.



E577


DIMENSIONS Ø: 4.2cm H: 0.3cm

Anti-Glare honeycomb pattern



L00C

- 2700K  E586
- 2700K  E588
- 3000K  E587
- 3000K  E589



LIGHT SOURCE	LED 10W
INPUT	24V
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	937Lm 1023Lm
CRI	90
IP	65
BEAM ANGLE	24°
DIMENSIONS	L: 7.5 cm W: 8cm H: 9.5cm
SPOT	Ø: 7cm L: 7.5cm
MATERIAL	Aluminium
SPECIAL FEATURE	100cm Cable Available Waterproof Connector IP68 Included Spike Not Included
FINISH	Sandy Black Sandy Coffee

*Find Recommended driver on page 508

Asymmetrical Snoot



Lenses



Color Filters



Honeycomb



ACCESSORIES FOR 10W - L00C



DIMENSIONS Ø: 7cm H: 3.5cm

Snoot for asymmetrical optics with an aluminium body in black or coffee finish




DIMENSIONS Ø: 6.2cm H: 2.3cm

Optic Lenses for customising and diversifying beam of light



DIMENSIONS Ø: 5.7cm H: 0.3cm

Colorful Transparent Plastic Diffusers that set the desired preference in color of light.
1x White, 1x Green, 1x Yellow, 1x Red.



DIMENSIONS Ø: 5.7cm H: 0.3cm

Anti-Glare honeycomb pattern

-  E595
-  E596

- 15° E590
- 36° E591
- 60° E592

E593

E594

INSTALLATION ACCESSORIES FOR 5-10W - L00C

- E583
- E584

Spike With Extension Tube



DIMENSIONS Ø: 1.6cm H: 39.5cm

Spike with height-enhancing tube with aluminium body in black or coffee finish

Spike



- E582

DIMENSIONS Ø: 4.5cm H:20cm

Regular Plastic Spike Accessory in black finish



INSTALLATION ACCESSORIES FOR 5-10W - L00C

- E580
- E581

Mounting Base



DIMENSIONS Ø: 7cm H: 3.5cm

Mounting Base for wall or ceiling installations with aluminium body in black or coffee finish



Tree Mounting Belt



- E585



DIMENSIONS W: 20cm L: 100cm

Polyester Anchoring Belt with aluminium buckle for tree-mounting installations





ANTI

“ *Illuminate The **Details**
Let The **Journey** Continue* ”





ANTI

● E515





Asymmetrical Snoot

● SNTR E515



DIMENSIONS Ø: 5.5cm H: 8.3cm

Snoot for asymmetrical optics with an aluminum body in black finish



Zoomable Spot 15°-42°

LIGHT SOURCE	LED 3W 6W 9W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K 4000K 6500K
LUMEN OUTPUT (3000K)	250Lm 400Lm 640Lm
CRI	90
IP	65
BEAM ANGLE	15° - 42°
DIMENSIONS	L: 10.8cm W: 5cm H: 7.8cm
SPOT	Ø: 5cm L: 10.8cm
SPIKE	Ø: 1.3cm H: 15cm
MATERIAL	Aluminium - Tempered Glass
SPECIAL FEATURE	Zoomable Spot Convex Lens Tilt Up-Down Wattage - CCT Switch Adjustable Spike Included 25cm Cable Available
FINISH	Sandy Black





ANTI

● E514




Asymmetrical Snoot

● SNTR E514



DIMENSIONS Ø: 5.4cm L: 7.8cm

Snoot for asymmetrical optics with an aluminium body in black finish




LIGHT SOURCE	LED 8W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	585Lm
CRI	90
IP	65
BEAM ANGLE	24°
DIMENSIONS	L: 9.5cm W: 4.7cm H: 7.8cm
SPOT	Ø: 4.7cm L: 9.5cm
SPIKE	Ø: 1.3cm H: 15cm
MATERIAL	Aluminium - Tempered Glass
SPECIAL FEATURE	Tilt Up-Down Adjustable Spike Included 25cm Cable Available
FINISH	Sandy Black



ANTI

● E513



LIGHT SOURCE	5W
INPUT	24V
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	290Lm
CRI	80
IP	65
BEAM ANGLE	27°
DIMENSIONS	L: 7.3cm W: 9.1cm H: 9.3cm
SPOT	Ø: 4.7cm H: 7.3cm
MATERIAL	Aluminium
SPECIAL FEATURE	Tilt Up-Down 100cm Tree Belt Included 1x Male, 1x Female Connectors
FINISH	Sandy Black

*Find Recommended driver on page 508





Color Filters for E513-E514
OPTC E513



DIMENSIONS Ø: 4.2cm


Colorful Transparent Films that set the desired preference in color of light.
1x Red, 1x Blue, 1x Green, 1x Purple.





EON


● E349-27



LIGHT SOURCE	LED 3W
INPUT	24V
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	215Lm
CRI	95
IP	65
BEAM ANGLE	42°
DIMENSIONS	L: 3.5cm W: 3cm H: 5cm
SPOT	Ø: 3cm L: 3.5cm
MATERIAL	Aluminium - Tempered Glass
SPECIAL FEATURE	Tilt Up-Down Spike Included 50cm Cable Available
FINISH	Sandy Black


*Find Recommended driver on page 508





STAL


“ Surrounded By **Nature**
Connected Through **Moments** ”





STAL

- E559
- E560



LIGHT SOURCE	LED 2W
INPUT	24V
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	129Lm
CRI	90
IP	65
DIMENSIONS	L: 8.5cm W: 1.5cm H: 30cm
PROFILE	Ø: 1.4cm
MATERIAL	Aluminium
SPECIAL FEATURE	50cm Cable Available Waterproof Connector IP68 Included Spike Included
FINISH	Sandy Black Sandy Brown

*Find Recommended driver on page 508






ARCO

“ *Nature Sets The Scene*
*You Create The **Moments*** ”




24V outdoor spotlight fixtures equipped with 3000K SMD LED and IP68 cable connector. Aluminium body with anti-corrosion treatment and electrostatic powder-coated finish, available in Brown or Green. Designed for ground and concrete installation, complete with spike and aluminium base. Driver must be ordered separately.





ARCO

- E551
- E552



LIGHT SOURCE	LED 2x 2.5W
INPUT	24V
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	480Lm
CRI	90
IP	65
BEAM ANGLE	30°
DIMENSIONS	Ø: 1.2cm H: 100cm
SPOT	Ø: 3cm L: 4.5cm
BASE	Ø: 4cm H: 2cm
MATERIAL	Aluminium - Acrylic
SPECIAL FEATURE	150cm Cable Available Rotatable 210° - Tilt Up-Down Adjustable Spot Position on Tube Spike & Base Included 2x Waterproof Connector IP68 Included
FINISH	Sandy Green Sandy Brown


*Find Recommended driver on page 508





ARCO

- E549
- E550



LIGHT SOURCE	LED 3W
INPUT	24V
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	238Lm
CRI	90
IP	65
BEAM ANGLE	30°
DIMENSIONS	W: 4.2cm H: 6.5cm
SPOT	Ø: 3cm H: 4.5cm
MATERIAL	Aluminium - Acrylic
SPECIAL FEATURE	50cm Cable Available Rotatable 210° - Tilt Up-Down Spike Included Waterproof Connector IP68 Included
FINISH	Sandy Green Sandy Brown


*Find Recommended driver on page 508





ARCO

- E553
- E554



LIGHT SOURCE	LED 5W
INPUT	24V
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	480Lm
CRI	90
IP	65
BEAM ANGLE	30°
DIMENSIONS	W: 6.7cm H: 8.9cm
SPOT	Ø: 5.5cm H: 5.5cm
MATERIAL	Aluminium - Acrylic
SPECIAL FEATURE	50cm Cable Available Rotatable 210° - Tilt Up-Down Spike Included Waterproof Connector IP68 Included
FINISH	Sandy Green Sandy Brown

*Find Recommended driver on page 508

Accessories Included in the box




DIMENSIONS Ø: 5.5cm H: 2.9cm

Snoot for asymmetrical optics with an aluminum body in green or brown finish



DIMENSIONS Ø: 4.2cm H: 0.3cm

Colorful Transparent Plastic Diffusers that set the desired preference in color of light.
1x White, 1x Green, 1x Yellow, 1x Red.



DIMENSIONS Ø: 4.2cm H: 0.3m

Anti-Glare honeycomb pattern

24V outdoor spotlight fixtures equipped with 3000K SMD LED and IP68 cable connector. Aluminium body with anti-corrosion treatment and electrostatic powder-coated finish, available in Brown or Green with honeycomb-asymmetrical snoot and color filters.



Step By Step Safety And Visibility
Guiding Your Path With Confidence


STEP






STEPI

E541





LIGHT SOURCE	LED 3W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	175Lm
CRI	90
IP	65
DIMENSIONS	L: 1cm W: 10cm H: 10cm
MOUNTING BOX	Ø: 7.5cm L: 8.5cm (Included)
DEPTH REQUIRED	8.5cm
MATERIAL	Concrete - Stainless Steel -Aluminium
SPECIAL FEATURE	Recessed Installation
FINISH	Sandstone Concrete





STEP1

E540





LIGHT SOURCE	LED 3W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	175Lm
CRI	90
IP	65
DIMENSIONS	L: 1cm W: 10cm H: 10cm
MOUNTING BOX	Ø: 7.5cm L: 8.5cm (Included)
DEPTH REQUIRED	≧ 8.5cm
MATERIAL	Concrete - Stainless Steel -Aluminium
SPECIAL FEATURE	Recessed Installation
FINISH	Natural Concrete





ALCO



LIGHT SOURCE	LED 5W
INPUT	24V
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	450Lm
CRI	90
IP	65
DIMENSIONS	L: 10.8cm W: 18.5cm H: 29cm
DEPTH REQUIRED	10.8cm
MATERIAL	Gypsum
SPECIAL FEATURE	Trimless Installation Installation Flanges Included Waterproof Connector IP68 Included Paintable Gypsum Body
FINISH	Pure White


*Find Recommended driver on page 508





NOOK

- E320-27
- E320-27C




LIGHT SOURCE	LED 3W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	125Lm
CRI	90
IP	65
DIMENSIONS	Ø: 7cm L: 0.5cm
MOUNTIN BOX	Ø: 5.5cm L: 6cm (Included)
DEPTH REQUIRED	6cm
MATERIAL	Aluminium - Tempered Glass
FINISH	Sandy White Sandy Coffee





EDGE


“ Every **Step** Outside
Is An Invitation to **Unwind** ”





EDGE

● E516




LIGHT SOURCE	LED 3W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K 4000K 6500K
LUMEN OUTPUT	150Lm 180Lm 204Lm
CRI	90
IP	65
DIMENSIONS	L: 1.7cm W: 8cm H: 8cm
MOUNTING BOX	Ø: 7cm L: 5.5cm (Included)
DEPTH REQUIRED	5.5cm
MATERIAL	Aluminium - Opal Diffuser
SPECIAL FEATURE	Recessed Step Light
FINISH	Sandy Black



EDGE

● E517




LIGHT SOURCE	LED 10W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K 4000K 6500K
LUMEN OUTPUT	463Lm 493Lm 524Lm
CRI	90
IP	65
DIMENSIONS	L: 2.3cm W: 23cm H: 8.2cm
MOUNTING BOX	L: 5cm W: 10.7cm H: 7.3cm (Included)
DEPTH REQUIRED	5cm
MATERIAL	Aluminium - Opal Diffuser
SPECIAL FEATURE	Recessed Step Light
FINISH	Sandy Black



FOLD


“ *The Best **Destinations**
Are Often Just **Outside*** ”





FOLD

- E530
- E531
- E532




LIGHT SOURCE	LED 6W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	184Lm
CRI	90
IP	54
DIMENSIONS	L: 2.4cm W: 11cm H: 9cm
MATERIAL	Aluminium - PC Diffuser
FINISH	Sandy Coffee Sandy Grey Sandy White



NOX

E241-27



LIGHT SOURCE	LED 6W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K 3000K
LUMEN OUTPUT	456Lm 480Lm
CRI	80
IP	65
DIMENSIONS	L: 3.7cm W: 15cm H: 15cm
MATERIAL	Aluminium - PC Diffuser
FINISH	Sandy Coffee



LAIN



“ Everything Seems *Simpler*
When Followed *Step By Step* ”



LAIN

● E543

● E544




LIGHT SOURCE	LED 3W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	160Lm
CRI	80
IP	65
DIMENSIONS	L: 4.5cm W: 13cm H: 8.5cm
MATERIAL	Plastic - Opal PC Diffuser
FINISH	Black
	Brown



RISE

- E450-27
- E452-27




LIGHT SOURCE	LED 3W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	176Lm
CRI	80
IP	65
DIMENSIONS	L: 2.6cm W: 14cm H: 14cm
MATERIAL	Aluminium - PC Diffuser
FINISH	Sandy Black
	Brown





RIFT

● E294-27



LIGHT SOURCE	LED 2W
INPUT	220-240V 50/60Hz
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	174Lm
CRI	80
IP	65
DIMENSIONS	Ø: 10.5cm L: 3.7cm
MATERIAL	Aluminium - PC Diffuser
FINISH	Sandy Coffee





POWER	18W
INPUT	220-240V 50/60Hz
OUTPUT	24V
IP	67
NON DIMMABLE	On-Off

DIMENSIONS	L: 14cm W: 3cm H: 2.2cm
------------	-------------------------

MATERIAL	Plastic
----------	---------



POWER	35W
INPUT	220-240V 50/60Hz
OUTPUT	24V
IP	67
NON DIMMABLE	On-Off

DIMENSIONS	L: 14.8cm W: 4cm H: 3cm
------------	-------------------------


MATERIAL	Plastic
----------	---------



POWER	200W
INPUT	220-240V 50/60Hz
OUTPUT	24V
IP	67
NON DIMMABLE	On-Off

DIMENSIONS	L: 20cm W: 6.3cm H: 3.6cm
------------	---------------------------

MATERIAL	Metal
----------	-------



POWER	150W
INPUT	220-240V 50/60Hz
OUTPUT	24V
IP	67
DALI DIMMING	Push Button DALI2 (1 CHANNEL)

DIMENSIONS	L: 26.2cm W: 5cm H: 3.1cm
------------	---------------------------

MATERIAL	Metal
----------	-------



POWER	60W
INPUT	220-240V 50/60Hz
OUTPUT	24V
IP	20
DALI DIMMING	Push Button DALI2 (1 CHANNEL)

DIMENSIONS	L: 35cm W: 3cm H: 1.8cm
------------	-------------------------



MATERIAL	Plastic
----------	---------





POWER	80W
INPUT	220-240V 50/60Hz
OUTPUT	24V
IP	20
DALI DIMMING	Push Button DALI2 (4 CHANNEL)

DIMENSIONS	L: 34.6cm W: 3.2cm H: 2.2cm
------------	-----------------------------

MATERIAL	Plastic
----------	---------



PROFILE SET	*Technical Line Drawing Dimensions Indicated In Millimeters
20193	2m Aluminium Profile + 2m Opal PC Diffuser
20193-E	2pcs End Caps with Hole, 2pcs End Caps without Hole , 4pcs Metal Clips



PROFILE SET	*Technical Line Drawing Dimensions Indicated In Millimeters
20201	2m Aluminium Profile + 2m Opal PC Diffuser
20201-E	1pcs End Caps with Hole, 1pcs End Caps without Hole, 2pcs Plastic Clips

RECOMMENDED LED STRIPS IP20 OR IP65

Find our wide range of LED strips IP20 and IP65 that meet your needs by checking our architectural catalogue in the LED strips section that matches the above aluminum profiles of your choice.



INDEX BY CODE DECORATIVE - OUTDOOR

2601	98	2665	119	26120	33	26175	160
2602	98	2666	286	26121	144	26176	162
2603	98	2667	287	26122	145	26177	162
2604	212	2668	350	26123	140	26178	28
2605	212	2669	350	26124	141	26179	28
2606	212	2670	350	26125	176	26185	92
2607	196	2671	351	26126	174	26186	92
2608	196	2672	351	26127	172	26187	342
2609	196	2673	351	26128	168	26188	320
2610	198	2675	290	26129	170	E238-27	432
2611	198	2676	290	26130	170	E239-27	432
2612	198	2677	292	26131	170	E241-27	498
2613	202	2678	292	26132	170	E249-27	410
2614	204	2679	306	26133	58	E262-27	434
2615	208	2680	306	26134	59	E287-27	424
2616	209	2681	310	26135	112	E294-27	506
2617	302	2682	270	26136	110	E297-27	408
2618	303	2683	270	26137	114	E320-27	488
2619	296	2684	274	26139	49	E320-27C	488
2620	296	2685	274	26140	46	E345-27	392
2621	296	2686	278	26141	48	E349-27	462
2622	102	2687	280	26142	52	E450-27	504
2623	103	2688	180	26143	44	E452-27	504
2624	354	2689	181	26144	42	E512	406
2625	354	2690	184	26145	106	E513	458
2626	354	2691	182	26146	108	E514	456
2627	352	2692	228	26147	186	E515	454
2628	352	2693	229	26148	330	E516	492
2629	352	2694	232	26149	334	E517	493
2630	266	2695	234	26150	332	E519	420
2631	266	2696	62	26151	336	E520	390
2632	266	2697	62	26152	322	E521	390
2633	256	2698	150	26153	338	E524	398
2634	256	2699	154	26154	318	E525	394
2635	262	26100	152	26155	328	E526	396
2636	262	26101	156	26156	326	E527	386
2637	244	26102	158	26157	344	E528	388
2638	242	26103	90	26158	340	E529	384
2639	248	26104	90	26159	324	E530	496
2640	248	26105	86	26160	224	E531	496
2651	22	26106	86	26161	224	E532	496
2652	39	26107	238	26162	224	E533	400
2653	34	26108	64	26163	218	E534	430
2654	192	26109	76	26164	218	E535	430
2655	192	26110	76	26165	218	E536	416
2656	190	26111	74	26166	219	E537	372
2657	190	26112	74	26167	219	E538	377
2658	252	26113	72	26168	219	E538-27	377
2659	252	26114	70	26169	132	E539	376
2660	252	26115	80	26170	130	E539-27	376
2661	316	26116	80	26171	134	E540	484
2662	124	26117	82	26172	134	E541	482
2663	124	26118	82	26173	136	E542	486
2664	118	26119	32	26174	136	E543	502

E544	502	SNTR E515	455
E545	426	4062172274302	508
E546	426	AC-MS-150	508
E547	428	LPH-18-24	508
E548	428	LPV-35-24	508
E549	474	Xi24-60D	508
E550	474	XLG-200	508
E551	472		
E552	472		
E553	476		
E554	476		
E555	362		
E556	366		
E557	366		
E558	370		
E559	466		
E560	466		
E561	418		
E562	404		
E563	402		
E564	414		
E565	422		
E566	378		
E569	444		
E570	444		
E571	444		
E572	444		
E573	445		
E574	445		
E575	445		
E576	445		
E577	445		
E578	445		
E579	445		
E580	450		
E581	450		
E582	448		
E583	448		
E584	448		
E585	451		
E586	446		
E587	446		
E588	446		
E589	446		
E590	447		
E591	447		
E592	447		
E593	447		
E594	447		
E595	447		
E596	447		
E630	402		
OPTC E513	461		
SNTR E514	457		

ZAMPELIS S.A.

Greece , Attica , Keratea , Kivouri

Postal: 19001 , P.O. box: 4791

Tel.: (+30) 22990 63518-19 | Fax: (+30) 22990 63521

info@zambelislights.gr | zambelislights.gr

